


Product Datasheet


Street Workout PZA 4014




[m]



[cm]



504



340

40

204

Maximum weight of user: 140 kg

Safety zone: 340 x 504 cm (15,2 m²)

Free fall height: 100 cm

Weight of the device: 35 kg

Dimension of the biggest part: 204x155x40 cm

Product compliant with PN-EN 16630: YES

Spare parts availability: YES

Mounting:

The set is mounted in the ground.
Foundations made of C20/25 concrete.

Material specification:

- Construction poles made from aluminum round profiles $\varnothing 89$ mm with anodized finish.
- Bars $\varnothing 38$ and $\varnothing 42,4$ mm, powder coated with a zinc primer.
- Top of the poles secured by cap made from HDPE.
- Screws, bolts etc. covered by colorful plugs from plastic.

Renders are for reference only, actual appearance may differ from the one shown on the render.

Acceptable shock absorbing surfaces and their minimum thickness

| Material | Description [mm] | Minimum depth [cm] | Maximum free heights of fall [cm] |
|-------------------------------------|--------------------------------|--------------------|-----------------------------------|
| Concrete/stone /bituminous surfaces | - | - | ≤ 100 |
| Outer soil layer | - | - | ≤ 120 |
| Turf | - | - | ≤ 150 |
| Bark | 20 to 80 particle size | 30 | ≤ 200 |
| | | 40 | ≤ 300 |
| Woodchip | 5 to 30 particle size | 30 | ≤ 200 |
| | | 40 | ≤ 300 |
| Sand or gravel | 0,2 to 8 grain size | 30 | ≤ 200 |
| | | 40 | ≤ 300 |
| Other materials | As tested according to EN 1177 | | Critical fall height as tested |